

Alumina Bi-Fold Survey Sheet v8.0



Please complete and email all sheets to alumina.quotes@linior.co.uk or send by fax on 01 332 883 884

FABRICATOR DETAILS CONTACT

Linior Fabricator: Yes No

Todays

Date: _____

Company Name: _____

Preferred Delivery

Date: _____

Alumina Bi-Fold doors are supplied as unglazed products.
All fabricated doors will be delivered to the fabricator's normal profile delivery address.

Contact Name: _____

Telephone: _____

Email: _____

Fax: _____

FABRICATOR JOB REFERENCE

Job Reference: _____

Covering

P/O Number: _____

OPENING CONFIGURATION

<p>Width (mm) = 610 - 1900 Height (mm) = 1960 - 2600</p> <p>110 L <input type="checkbox"/></p> <p>Width (mm) = 1580 - 2450 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 610 - 1900 Height (mm) = 1960 - 2600</p> <p>110 R <input type="checkbox"/></p> <p>Width (mm) = 1635 - 3720 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 1120 - 2510 Height (mm) = 1960 - 2600</p> <p>211 <input type="checkbox"/></p> <p>Width (mm) = 1635 - 3720 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 1635 - 3720 Height (mm) = 1960 - 2600</p> <p>220 L <input type="checkbox"/></p> <p>Width (mm) = 1635 - 3720 Height (mm) = 1960 - 2600</p>	<p>Note: All doors are viewed from outside Please tick the box of the opening configuration required</p>	
<p>Width (mm) = 2145 - 4930 Height (mm) = 1960 - 2600</p> <p>220 R <input type="checkbox"/></p> <p>Width (mm) = 1635 - 3720 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 1635 - 3720 Height (mm) = 1960 - 2600</p> <p>321 L <input type="checkbox"/></p> <p>Width (mm) = 3010 - 4730 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 1635 - 3720 Height (mm) = 1960 - 2600</p> <p>321 R <input type="checkbox"/></p> <p>Width (mm) = 3010 - 4730 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 3060 - 4820</p> <p>330 L <input type="checkbox"/></p> <p>Width (mm) = 2720 - 5920 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 1635 - 3720 Height (mm) = 1960 - 2600</p> <p>330 R <input type="checkbox"/></p> <p>Width (mm) = 2720 - 5920 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 2145 - 4930 Height (mm) = 1960 - 2600</p> <p>431 L <input type="checkbox"/></p> <p>Width (mm) = 2720 - 5920 Height (mm) = 1960 - 2600</p>
<p>Width (mm) = 2660 - 6000 Height (mm) = 1960 - 2600</p> <p>431 R <input type="checkbox"/></p> <p>Width (mm) = 2660 - 6000 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 2660 - 6000 Height (mm) = 1960 - 2600</p> <p>440 L <input type="checkbox"/></p> <p>Width (mm) = 2660 - 6000 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 2720 - 5920 Height (mm) = 1960 - 2600</p> <p>440 R <input type="checkbox"/></p> <p>Width (mm) = 2720 - 5920 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 2720 - 5920 Height (mm) = 1960 - 2600</p> <p>422 <input type="checkbox"/></p> <p>Width (mm) = 2720 - 5920 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 3170 - 7300 Height (mm) = 1960 - 2600</p> <p>541 L <input type="checkbox"/></p> <p>Width (mm) = 3170 - 7300 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 3170 - 7300 Height (mm) = 1960 - 2600</p> <p>541 R <input type="checkbox"/></p> <p>Width (mm) = 3170 - 7300 Height (mm) = 1960 - 2600</p>
<p>Width (mm) = 3170 - 7300 Height (mm) = 1960 - 2600</p> <p>550 L <input type="checkbox"/></p> <p>Width (mm) = 4430 - 6000 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 4430 - 6000 Height (mm) = 1960 - 2600</p> <p>550 R <input type="checkbox"/></p> <p>Width (mm) = 4430 - 6000 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 4430 - 6000 Height (mm) = 1960 - 2600</p> <p>532 L <input type="checkbox"/></p> <p>Width (mm) = 4430 - 6000 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 4430 - 6000 Height (mm) = 1960 - 2600</p> <p>532 R <input type="checkbox"/></p> <p>Width (mm) = 4430 - 6000 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 3175 - 7300 Height (mm) = 1960 - 2600</p> <p>651 L <input type="checkbox"/></p> <p>Width (mm) = 3175 - 7300 Height (mm) = 1960 - 2600</p>	
<p>Width (mm) = 3740 - 6000 Height (mm) = 1960 - 2600</p> <p>651 R <input type="checkbox"/></p> <p>Width (mm) = 3740 - 6000 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 3740 - 6000 Height (mm) = 1960 - 2600</p> <p>660 L <input type="checkbox"/></p> <p>Width (mm) = 3740 - 6000 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 3680 - 6000 Height (mm) = 1960 - 2600</p> <p>660 R <input type="checkbox"/></p> <p>Width (mm) = 3680 - 6000 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 3680 - 6000 Height (mm) = 1960 - 2600</p> <p>633 <input type="checkbox"/></p> <p>PLEASE NOTE MASTER DOOR</p> <p>Width (mm) = 3680 - 6000 Height (mm) = 1960 - 2600</p>		
<p>Width (mm) = 3750 - 8500 Height (mm) = 1960 - 2600</p> <p>761 L <input type="checkbox"/></p> <p>Width (mm) = 3750 - 8500 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 3750 - 8500 Height (mm) = 1960 - 2600</p> <p>761 R <input type="checkbox"/></p> <p>Width (mm) = 3750 - 8500 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 3750 - 8500 Height (mm) = 1960 - 2600</p> <p>770 L <input type="checkbox"/></p> <p>Width (mm) = 3750 - 8500 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 3750 - 8500 Height (mm) = 1960 - 2600</p> <p>770 R <input type="checkbox"/></p> <p>Width (mm) = 3750 - 8500 Height (mm) = 1960 - 2600</p>		
<p>Width (mm) = 3750 - 8500 Height (mm) = 1960 - 2600</p> <p>743 L <input type="checkbox"/></p> <p>Width (mm) = 3750 - 8500 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 3750 - 8500 Height (mm) = 1960 - 2600</p> <p>743 R <input type="checkbox"/></p> <p>Width (mm) = 3750 - 8500 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 3750 - 8500 Height (mm) = 1960 - 2600</p> <p>752 L <input type="checkbox"/></p> <p>Width (mm) = 3750 - 8500 Height (mm) = 1960 - 2600</p>	<p>Width (mm) = 3750 - 8500 Height (mm) = 1960 - 2600</p> <p>752 R <input type="checkbox"/></p> <p>Width (mm) = 3750 - 8500 Height (mm) = 1960 - 2600</p>		

All opening configuration drawings are drawn for illustration purposes only to give a representation of how the door styles would operate.

Alumina Bi-Fold Survey Sheet v3.0

DOOR SPECIFICATION

FINISHED PRODUCT SIZE

Note: all sizes include add-ons, cills & thresholds

Width: _____ mm

Height: _____ mm

MIN and MAX overall frame sizes shown above each configuration

Note: If overall width is over 6000mm, doors will feature jointed frames using profile connector kits.

ADD-ONS & HEAD VENTS

PVCu

10 20 50 HV

Top:

Bottom:

Left:

Right:

Note: HV option denotes 'Head Vent'

Only available on doors which are foiled on both faces

Aluminium

40 mm HV

Top: or

Left:

Right:

Only available in the following colours:

- White RAL Paint - 7016 Grey Foil
- Grey RAL Paint - Rosewood Foil
- Irish Oak Foil

Note: Can be used as an Add-On or Head Vent. Select only **one** for the Top part of the Bi-Fold.

DRAINAGE TYPE

Tip: Liniair recommends concealed drainage when possible

Concealed

Face

TRICKLE VENT

Note: trickle vents to each alternating sash would be standard practice

Yes

No

GLAZING BEAD (UNGLAZED ONLY)

Note: 36mm & 40mm beads are only available on internally foiled doors

28mm

36mm

40mm

PART Q COMPLIANCE

Note: Selecting 'Yes' will include a 3 star cylinder with your Alumina door

Yes

No

OPENING DIRECTION

Tip: check obstructions have been considered when stating opening direction

Inwards

Outwards

DOOR RESTRICTOR

Note: restrictors to be used on single leaf doors only. 1 per applicable sash e.g 3-2-1, 4-3-1 etc.

Yes

No

RESTRICTED SITE ACCESS

Note: outer frame will come flat packed if 'Yes' is selected

Yes

No

OPTIONAL PVCU MIDRAIL

Q. Midrail Required? Yes

No

Note: Only available on doors which are foiled on both faces

Q. Letterbox Required? Yes

No

Note: All midrails positioned at 850mm from bottom of frame
1 midrail per sash UOS, letterbox (if applicable) positioned in master door UOS

COLOUR SPECIFICATION


ALL internal & external foil finishes grained UOS

Select Door Colour Required

Standard Door Colour Range

External Foil		External RAL		Internal RAL		Internal Foil	
Colour	Closest RAL	Colour	Closest RAL	Colour	Closest RAL	Colour	Closest RAL
RAL Paint Only (Both Sides)							
<input type="checkbox"/>		White (Gloss)	9910	White (Gloss)	9910		
<input type="checkbox"/>		Grey (Matt)	7016	Grey (Matt)	7016		
<input type="checkbox"/>		Black (Matt)	9011	Black (Matt)	9011		
<input type="checkbox"/>		Grey (Matt)	7016	White (Gloss)	9910		
Foiled on Both Faces							
<input type="checkbox"/>	Irish Oak	N/A				Irish Oak	N/A
<input type="checkbox"/>	Golden Oak	N/A				Golden Oak	N/A
<input type="checkbox"/>	Rosewood	N/A				Rosewood	N/A
<input type="checkbox"/>	Grey	7016				Grey	7016
<input type="checkbox"/>	Black Brown	8022				Black Brown	8022
<input type="checkbox"/>	Cream	9001				Cream	9001
<input type="checkbox"/>	White	9010				White	9010
Foiled (External Only) on White RAL Paint							
<input type="checkbox"/>	Cream	9001		White	9910		
<input type="checkbox"/>	Chartwell Green	N/A		White	9910		
<input type="checkbox"/>	Golden Oak	N/A		White	9910		
<input type="checkbox"/>	Rosewood	N/A		White	9910		
<input type="checkbox"/>	Grey	7016		White	9910		
<input type="checkbox"/>	Black Brown	8022		White	9910		
Special Foil Colours Only, input colours as required. Combination availability TBC by Liniair							
<input type="checkbox"/>							

HARDWARE COLOUR



Applies to the following products:
ABF050 (Roller), MBF060 (Roller), ABF071 (Butt Hinge), ABF072 (C Handle) & LBF041 (Magnets)


White

Black

Chrome

Gold

HANDLE COLOUR



Applies to the following products:
MBF080 (Handle), LBF081 (Slim Handle), LBF082 (Slim Handle) & MBF042 (Escutcheon)

White

Black

Chrome

Dark Chrome

Gold

SPECIAL REQUIREMENTS

Alumina Bi-Fold Survey Sheet v3.0

THRESHOLD OPTIONS

